

Sponsored by: Garrett
Introduction Date: February 9, 2021
Public Hearing Dates: February 9, 2021
March 9, 2021
Enactment Date: March 9, 2021

**CITY OF MARATHON, FLORIDA
ORDINANCE 2021-06**

AN ORDINANCE BY THE CITY COUNCIL OF THE CITY OF MARATHON AMENDING THE LAND DEVELOPMENT CODE TO AMEND CHAPTER 107 GENERAL DEVELOPMENT STANDARDS, ARTICLE 12 FLOODPLAIN MANAGEMENT TO PROVIDE CRITERIA FOR ACCESSORY STRUCTURES IN FLOOD HAZARD AREAS AND TO SPECIFY ELEVATION OF MANUFACTURED HOMES IN FLOOD HAZARD AREAS; AMENDING CHAPTER 110 DEFINITIONS; AND PROVIDING FOR APPLICABILITY AND SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Legislature of the State of Florida in Chapter 166 – Municipalities, Florida Statutes, confers upon local governments the authority to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry; and

WHEREAS, the Federal Emergency Management Agency released FEMA Policy #104-008-03 Floodplain Management Requirements Accessory Structures; and

WHEREAS, the City Council body has determined it appropriate to adopt regulations that are consistent with the FEMA Policy to allow issuance of permits for wet floodproofed accessory structures that are not larger than the sizes specified in the FEMA Policy.

WHEREAS, the City of Marathon participates in the National Flood Insurance Program and participates in the NFIP’s Community Rating System, a voluntary incentive program that recognizes and encourages community floodplain management activities that exceed the minimum program requirements, achieving a CRS rating of Class 6; and

WHEREAS, in 2020 the NFIP Community Rating System established certain minimum prerequisites for communities to qualify for or maintain class ratings of Class 8 or better and to satisfy the prerequisite and for the City of Marathon Key to maintain the current CRS rating, all manufactured homes installed or replaced in special flood hazard areas must be elevated such that the lowest floors are at or above at least the base flood elevation plus 1 foot, which necessitates modification of the existing requirements; and

WHEREAS, the City Council determined that it is in the public interest to amend the floodplain management regulations to better protect owners and occupants of manufactured homes and to continue participating in the Community Rating System at the current class rating.

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF MARATHON, FLORIDA, AS FOLLOWS:

Section 1. The above recitals are hereby confirmed and adopted.

Section 2. Land Development Code Chapter 107 General Development Standards, Article 12 Floodplain Management is hereby amended by the following amendments:

CHAPTER 107 GENERAL DEVELOPMENT STANDARDS

ARTICLE 12. - FLOODPLAIN MANAGEMENT

Section 107.98. - General.

- A. *Title.* These regulations shall be known as the Floodplain Management Ordinance of the City of Marathon, hereinafter referred to as "this ordinance."
- B. *Scope.* The provisions of this ordinance shall apply to all development that is wholly within or partially within any flood hazard area, including but not limited to the subdivision of land; filling, grading, and other site improvements and utility installations; construction, alteration, remodeling, enlargement, improvement, replacement, repair, relocation or demolition of buildings, structures, and facilities that are exempt from the Florida Building Code; placement, installation, or replacement of manufactured homes and manufactured buildings; installation or replacement of tanks; placement of recreational vehicles; installation of swimming pools; and any other development.
- C. *Intent.* The purposes of this ordinance and the flood load and flood resistant construction requirements of the Florida Building Code are to establish minimum requirements to safeguard the public health, safety, and general welfare and to minimize public and private losses due to flooding through regulation of development in flood hazard areas to:
- (1) Minimize unnecessary disruption of commerce, access and public service during times of flooding;
 - (2) Require the use of appropriate construction practices in order to prevent or minimize future flood damage;
 - (3) Manage filling, grading, dredging, mining, paving, excavation, drilling operations, storage of equipment or materials, and other development which may increase flood damage or erosion potential;
 - (4) Manage the alteration of flood hazard areas and shorelines to minimize the impact of development on the natural and beneficial functions of the floodplain;
 - (5) Minimize damage to public and private facilities and utilities;
 - (6) Help maintain a stable tax base by providing for the sound use and development of flood hazard areas;
 - (7) Minimize the need for future expenditure of public funds for flood control projects and response to and recovery from flood events; and
 - (8) Meet the requirements of the National Flood Insurance Program for community participation as set forth in Title 44 Code of Federal Regulations, Section 59.22.

- D. *Coordination with the Florida Building Code.* This ordinance is intended to be administered and enforced in conjunction with the Florida Building Code. Where cited, ASCE 24 refers to the edition of the standard that is referenced by the Florida Building Code.
- E. *Warning.* The degree of flood protection required by this ordinance and the Florida Building Code, as amended by this community, is considered the minimum reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur. Flood heights may be increased by man-made or natural causes. This ordinance does not imply that land outside of mapped special flood hazard areas, or that uses permitted within such flood hazard areas, will be free from flooding or flood damage. The flood hazard areas and base flood elevations contained in the Flood Insurance Study and shown on Flood Insurance Rate Maps and the requirements of Title 44 Code of Federal Regulations, Sections 59 and 60 may be revised by the Federal Emergency Management Agency, requiring this community to revise these regulations to remain eligible for participation in the National Flood Insurance Program. No guaranty of vested use, existing use, or future use is implied or expressed by compliance with this ordinance.
- F. *Disclaimer of Liability.* This ordinance shall not create liability on the part of the City Council of the City of Marathon or by any officer or employee thereof for any flood damage that results from reliance on this ordinance or any administrative decision lawfully made thereunder.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.99. - Applicability.

- A. *General.* Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable.
- B. *Areas to which this ordinance applies.* This ordinance shall apply to all flood hazard areas within the City of Marathon, as established in Section 107.99.C ~~107.31.C~~ of this chapter.
- C. Basis for establishing flood hazard areas and Species Focus Areas and Real Estate Numbers.
 - (1) The Flood Insurance Study for Monroe County, Florida and Incorporated Areas dated February 18, 2005, and all subsequent amendments and revisions, and the accompanying Flood Insurance Rate Maps (FIRM), and all subsequent amendments and revisions to such maps, are adopted by reference as a part of this ordinance and shall serve as the minimum basis for establishing flood hazard areas. Studies and maps that establish flood hazard areas are on file at City Hall, 9805 Overseas Highway, Marathon, FL 33050.
 - (2) The Species Focus Area Maps (SFAMs) and the real estate numbers of parcels (RE List) that are within the SFAMs identified by the U.S. Fish and Wildlife Service in accordance with the Biological Opinion, dated April 30, 2010, as amended, for the City of Marathon, and any subsequent revisions there to, are hereby declared to be a part of this ordinance. The SFAMs and RE list are on file at the city hall.
- D. *Submission of additional data to establish flood hazard areas.* To establish flood hazard areas and base flood elevations, pursuant to Section 107.102.1 ~~107.35~~ of this chapter the

Floodplain Administrator may require submission of additional data. Where field surveyed topography prepared by a Florida licensed professional surveyor or digital topography accepted by the community indicates that ground elevations:

- (1) Are below the closest applicable base flood elevation, even in areas not delineated as a special flood hazard area on a FIRM, the area shall be considered as flood hazard area and subject to the requirements of this ordinance and, as applicable, the requirements of the Florida Building Code.
 - (2) Are above the closest applicable base flood elevation, the area shall be regulated as special flood hazard area unless the applicant obtains a Letter of Map Change that removes the area from the special flood hazard area.
- E. *Other laws.* The provisions of this ordinance shall not be deemed to nullify any provisions of local, state or federal law.
- F. *Abrogation and greater restrictions.* This ordinance supersedes any ordinance in effect for management of development in flood hazard areas. However, it is not intended to repeal or abrogate any existing ordinances including but not limited to land development regulations, zoning ordinances, stormwater management regulations, or the Florida Building Code. In the event of a conflict between this ordinance and any other ordinance, the more restrictive shall govern. This ordinance shall not impair any deed restriction, covenant or easement, but any land that is subject to such interests shall also be governed by this ordinance.
- G. *Interpretation.* In the interpretation and application of this ordinance, all provisions shall be:
- (1) Considered as minimum requirements;
 - (2) Liberally construed in favor of the governing body; and
 - (3) Deemed neither to limit nor repeal any other powers granted under state statutes.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.100. - Duties and Powers of the Floodplain Administrator.

- A. *Designation.* The City Manager is designated as the Floodplain Administrator. The Floodplain Administrator may delegate performance of certain duties to other employees, particularly the Building Official and the Certified Floodplain Manager.
- B. *General.* The Floodplain Administrator is authorized and directed to administer and enforce the provisions of this ordinance. The Floodplain Administrator shall have the authority to render interpretations of this ordinance consistent with the intent and purpose of this ordinance and may establish policies and procedures in order to clarify the application of its provisions. Such interpretations, policies, and procedures shall not have the effect of waiving requirements specifically provided in this ordinance without the granting of a variance pursuant to Section ~~107.105~~ 107.102.3 of this ordinance.
- C. *Applications and permits.* The Floodplain Administrator, in coordination with other pertinent offices of the community, shall:
- (1) Review applications and plans to determine whether proposed new development will be located in flood hazard areas;

- (2) Review applications for modification of any existing development in flood hazard areas for compliance with the requirements of this ordinance;
 - (3) Interpret flood hazard area boundaries where such interpretation is necessary to determine the exact location of boundaries; a person contesting the determination shall have the opportunity to appeal the interpretation;
 - (4) Provide available flood elevation and flood hazard information;
 - (5) Determine whether additional flood hazard data shall be obtained from other sources or shall be developed by an applicant;
 - (6) Review applications to determine whether proposed development will be reasonably safe from flooding;
 - (7) Issue development permits for development other than buildings and structures that are subject to the Florida Building Code, including buildings, structures and facilities exempt from the Florida Building Code, when compliance with this ordinance is demonstrated, or disapprove the same in the event of noncompliance; and
 - (8) Coordinate with and provide comments to the Building Official to assure that applications, plan reviews, and inspections for buildings and structures in flood hazard areas comply with the applicable provisions of this ordinance.
- D. *Substantial improvement and substantial damage determinations.* For applications for building permits to improve buildings and structures, including alterations, movement, enlargement, replacement, repair, change of occupancy, additions, rehabilitations, renovations, substantial improvements, repairs of substantial damage, and any other improvement of or work on such buildings and structures, the Floodplain Administrator, in coordination with the Building Official, shall:
- (1) Estimate the market value, or require the applicant to obtain an appraisal of the market value prepared by a qualified independent appraiser, of the building or structure before the start of construction of the proposed work; in the case of repair, the market value of the building or structure shall be the market value before the damage occurred and before any repairs are made;
 - (2) Compare the cost to perform the improvement, the cost to repair a damaged building to its pre-damaged condition, or the combined costs of improvements and repairs, if applicable, to the market value of the building or structure;
 - (3) Determine and document whether the proposed work constitutes substantial improvement or repair of substantial damage; the determination requires evaluation of previous permits issued for improvements and repairs as specified in the definition of "substantial improvement"; and
 - (4) Notify the applicant if it is determined that the work constitutes substantial improvement or repair of substantial damage and that compliance with the flood resistant construction requirements of the Florida Building Code and this ordinance is required.
- E. *Modifications of the strict application of the requirements of the Florida Building Code.* The Floodplain Administrator shall review requests submitted to the Building Official that

seek approval to modify the strict application of the flood load and flood resistant construction requirements of the Florida Building Code to determine whether such requests require the granting of a variance pursuant to Section 107.102.3 ~~107.37~~ of this ordinance.

- F. *Notices and orders.* The Floodplain Administrator shall coordinate with appropriate local agencies for the issuance of all necessary notices or orders to ensure compliance with this ordinance.
- G. *Inspections.* The Floodplain Administrator shall make the required inspections as specified in Section 107.102.2 ~~107.36~~ of this chapter for development that is not subject to the Florida Building Code, including buildings, structures and facilities exempt from the Florida Building Code. The Floodplain Administrator shall inspect flood hazard areas to determine if development is undertaken without issuance of a permit.
- H. *Other duties of the Floodplain Administrator.* The Floodplain Administrator shall have other duties, including but not limited to:
- (1) Establish, in coordination with the Building Official, procedures for administering and documenting determinations of substantial improvement and substantial damage made pursuant to Section 107.100.D ~~107.32.D~~ of this chapter;
 - (2) Require applicants who submit hydrologic and hydraulic engineering analyses to support permit applications to submit to FEMA the data and information necessary to maintain the Flood Insurance Rate Maps if the analyses propose to change base flood elevations or flood hazard area boundaries; such submissions shall be made within six (6) months of such data becoming available;
 - (3) Review required design certifications and documentation of elevations specified by this ordinance and the Florida Building Code to determine that such certifications and documentations are complete;
 - (4) Notify the Federal Emergency Management Agency when the corporate boundaries of the City of Marathon are modified; and
 - (5) Advise applicants for new buildings and structures, including substantial improvements, that are located in any unit of the Coastal Barrier Resources System established by the Coastal Barrier Resources Act (Pub. L. 97-348) and the Coastal Barrier Improvement Act of 1990 (Pub. L. 101-591) that federal flood insurance is not available on such construction; areas subject to this limitation are identified on Flood Insurance Rate Maps as "Coastal Barrier Resource System Areas" and "Otherwise Protected Areas."
- I. *Floodplain management records.* Regardless of any limitation on the period required for retention of public records, the Floodplain Administrator shall maintain and permanently keep and make available for public inspection all records that are necessary for the administration of this ordinance and the flood resistant construction requirements of the Florida Building Code, including Flood Insurance Rate Maps; Letters of Map Change; records of issuance of permits and denial of permits; determinations of whether proposed work constitutes substantial improvement or repair of substantial damage; required design certifications and documentation of elevations specified by the Florida Building Code and this ordinance; documentation related to appeals and variances, including justification for issuance or denial; and records of enforcement actions taken pursuant to this ordinance and

the flood resistant construction requirements of the Florida Building Code. These records shall be available for public inspection at City Hall, 9805 Overseas Highway, Marathon, FL 33050.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.101. - Permits.

- A. *Permits required.* Any owner or owner's authorized agent (hereinafter "applicant") who intends to undertake any development activity within the scope of this ordinance, including buildings, structures and facilities exempt from the Florida Building Code, which is wholly within or partially within any flood hazard area shall first make application to the Floodplain Administrator, and the Building Official if applicable, and shall obtain the required permit(s) and approval(s). No such permit or approval shall be issued until compliance with the requirements of this ordinance and all other applicable codes and regulations has been satisfied.
- B. *Development permits.* Development permits shall be issued pursuant to this ordinance for any development activities not subject to the requirements of the Florida Building Code, including buildings, structures and facilities exempt from the Florida Building Code. Depending on the nature and extent of proposed development that includes a building or structure, the Floodplain Administrator may determine that a development permit is required in addition to a building permit.
- C. *Buildings, structures and facilities exempt from the Florida Building Code.* Pursuant to the requirements of federal regulation for participation in the National Flood Insurance Program (44 C.F.R. Sections 59 and 60), development permits shall be required for the following buildings, structures and facilities that are exempt from the Florida Building Code and any further exemptions provided by law, which are subject to the requirements of this ordinance:
- (1) Railroads and ancillary facilities associated with the railroad.
 - (2) Nonresidential farm buildings on farms, as provided in Fla. Stat. § 604.50.
 - (3) Temporary buildings or sheds used exclusively for construction purposes.
 - (4) Mobile or modular structures used as temporary offices.
 - (5) Those structures or facilities of electric utilities, as defined in Fla. Stat. § 366.02, which are directly involved in the generation, transmission, or distribution of electricity.
 - (6) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term "chickee" means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other non-wood features.
 - (7) Family mausoleums not exceeding 250 square feet in area which are prefabricated and assembled on site or preassembled and delivered on site and have walls, roofs, and a floor constructed of granite, marble, or reinforced concrete.
 - (8) Temporary housing provided by the Department of Corrections to any prisoner in the state correctional system.

- (9) Structures identified in Fla. Stat. § 553.73(10)(k), are not exempt from the Florida Building Code if such structures are located in flood hazard areas established on Flood Insurance Rate Maps.
- D. *Application for a permit or approval.* To obtain a development permit the applicant shall first file an application in writing on a form furnished by the community. The information provided shall:
- (1) Identify and describe the development to be covered by the permit or approval.
 - (2) Describe the land on which the proposed development is to be conducted by legal description, street address or similar description that will readily identify and definitively locate the site.
 - (3) Indicate the use and occupancy for which the proposed development is intended.
 - (4) Be accompanied by a site plan or construction documents as specified in Section 107.102.1 ~~107.35~~ of this chapter.
 - (5) State the valuation of the proposed work.
 - (6) Be signed by the applicant or the applicant's authorized agent.
 - (7) Give such other data and information as required by the Floodplain Administrator.
 - (8) For projects proposing to enclose areas under elevated buildings, include signed Declaration of Land Restriction (Non-conversion Agreement); the agreement shall be recorded on the property deed prior to issuance of the Certificate of Occupancy.
- E. *Validity of permit or approval.* The issuance of a development permit pursuant to this ordinance shall not be construed to be a permit for, or approval of, any violation of this ordinance, the Florida Building Codes, or any other ordinance of this community. The issuance of permits based on submitted applications, construction documents, and information shall not prevent the Floodplain Administrator from requiring the correction of errors and omissions.
- F. *Expiration.* A development permit shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized is suspended or abandoned for a period of 180 days after the work commences. Extensions for periods of not more than 180 days each shall be requested in writing and justifiable cause shall be demonstrated.
- G. *Suspension or revocation.* The Floodplain Administrator is authorized to suspend or revoke a development permit if the permit was issued in error, on the basis of incorrect, inaccurate or incomplete information, or in violation of this ordinance or any other ordinance, regulation or requirement of this community.
- H. *Other permits required.* Floodplain development permits and building permits shall include a condition that all other applicable state or federal permits be obtained before commencement of the permitted development, including but not limited to the following:
- (1) The South Florida Water Management District; Fla. Stat. § 373.036.
 - (2) Florida Department of Economic Opportunity, Fla. Stat. § 380.05, Areas of Critical State Concern, and Fla. Stat. Ch. 553, Part IV, Florida Building Code.

- (3) Florida Department of Health for onsite sewage treatment and disposal systems; Fla. Stat. § 381.0065 and Chapter 64E-6, F.A.C.
- (4) Florida Department of Environmental Protection for activities subject to the Joint Coastal Permit; Fla. Stat. § 161.055.
- (5) Florida Department of Environmental Protection for activities that affect wetlands and alter surface water flows, in conjunction with the U.S. Army Corps of Engineers; Section 404 of the Clean Water Act.
- (6) Federal permits and approvals.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102. - Protection of Endangered Species.

A. *Applications with Determination of Unsuitable Habitat.* Upon receipt of a floodplain development permit application for a property that is determined to be on the SFAMs and the RE list as containing unsuitable habitat, the Floodplain Administrator shall place a letter in the floodplain development permit file that indicates:

- (1) The name of the city official that made the determination;
- (2) The date of the determination; and
- (3) The date of the SFAM and RE list used to make the determination.

Once the determination has been made, the City of Marathon may take action on the floodplain development permit application without further concern for Federally threatened and endangered species and their habitat.

B. *Species Assessment Guides and Acceptance Form.* The Species Assessment Guide for the City of Marathon provided by the U.S. Fish and Service (Service), dated December 23, 2011, and any subsequent revisions there to, is hereby declared to be a part of this ordinance. The Species Assessment Guide is on file at the city hall.

- (1) The City of Marathon shall use the Species Assessment Guide to determine whether the applicant for a floodplain development permit application must seek technical assistance by the Service. For applications that require such assistance, the City of Marathon shall provide copies of the applications to the Service for review on a weekly basis.
- (2) Based on the Service's technical assistance, the City of Marathon shall condition the floodplain development permit to incorporate the Service's recommendations to avoid and/or to minimize possible impacts on Federally listed threatened and endangered species and their habitat.
- (3) The City shall maintain an Acceptance Form of the Service's recommendations in the permit file. The Acceptance Form shall be signed by the permit applicant and the building official.
- (4) The City shall use the Species Assessment Guides (SAGs) for properties that exist within the boundaries of a completed Habitat Conservation Plan and which are subject to the SFAMs. The Real Estate folio number list which accompanies the SFAMs will be utilized in combination to determine if a development permit application must be

provided to the Service for technical assistance in order to meet the full requirements of the FEMA-FWS Settlement.

- C. *Avoiding Impacts on Federally Listed Species.* All proposed development shall meet the conditions attached to floodplain development permits in accordance with Section 105.2(2) to avoid possible impacts to Federally threatened and endangered species and their habitat.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.1. - Site Plans and Construction Documents.

- A. *Information for development in flood hazard areas.* The site plan or construction documents for any development subject to the requirements of this ordinance shall be drawn to scale and shall include, as applicable to the proposed development:

- (1) Delineation of flood hazard areas, flood zone(s), base flood elevation(s), and ground elevations if necessary for review of the proposed development.
- (2) Location of the proposed activity and proposed structures, and locations of existing buildings and structures; in coastal high hazard areas, new buildings shall be located landward of the reach of mean high tide.
- (3) Location, extent, amount, and proposed final grades of any filling, grading, or excavation.
- (4) Where the placement of fill is proposed, the amount, type, and source of fill material; compaction specifications; a description of the intended purpose of the fill areas; and evidence that the proposed fill areas are the minimum necessary to achieve the intended purpose.
- (5) Extent of any proposed alteration of sand dunes or mangrove stands, provided such alteration is approved by the Florida Department of Environmental Protection.
- (6) Existing and proposed alignment of any proposed alteration of a watercourse.

The Floodplain Administrator is authorized to waive the submission of site plans, construction documents, and other data that are required by this ordinance but that are not required to be prepared by a registered design professional if it is found that the nature of the proposed development is such that the review of such submissions is not necessary to ascertain compliance with this ordinance.

- B. *Additional analyses and certifications.* For activities that propose to alter sand dunes or mangrove stands in coastal high hazard areas (Zone V), an engineering analysis signed and sealed by a Florida licenses engineer that demonstrates that the proposed alteration will not increase the potential for flood damage shall be submitted with the site plan and construction documents.
- C. *Submission of additional data.* When additional hydrologic, hydraulic or other engineering data, studies, and additional analyses are submitted to support an application, the applicant has the right to seek a Letter of Map Change from FEMA to change the base flood elevations or change boundaries of flood hazard areas shown on FIRMs, and to submit such data to FEMA for such purposes. The analyses shall be prepared by a Florida licensed engineer in a format required by FEMA. Submittal requirements and processing fees shall be the responsibility of the applicant.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.2. - Inspections.

- A. *General.* Development for which a development permit is required shall be subject to inspection.
- B. *Development other than buildings and structures.* The Floodplain Administrator shall inspect all development to determine compliance with the requirements of this ordinance and the conditions of issued development permits.
- C. *Buildings, structures and facilities exempt from the Florida Building Code.* The Floodplain Administrator shall inspect buildings, structures and facilities exempt from the Florida Building Code to determine compliance with the requirements of this ordinance and the conditions of issued development permits.
- D. *Buildings, structures and facilities exempt from the Florida Building Code, lowest floor inspection.* Upon placement of the lowest floor, including basement, and prior to further vertical construction, the owner of a building, structure or facility exempt from the Florida Building Code, or the owner's authorized agent, shall submit to the Floodplain Administrator the certification of elevation of the lowest floor prepared and sealed by a Florida licensed professional surveyor.
- E. *Buildings, structures and facilities exempt from the Florida Building Code, final inspection.* As part of the final inspection, the owner or owner's authorized agent shall submit to the Floodplain Administrator a final certification of elevation of the lowest floor or final documentation of the height of the lowest floor above the highest adjacent grade; such certifications and documentations shall be prepared as specified in Section 107.102.2.D ~~107.37.D~~ of this chapter.
- F. *Manufactured homes.* The Floodplain Administrator shall inspect manufactured homes that are installed or replaced in flood hazard areas to determine compliance with the requirements of this ordinance and the conditions of the issued permit. Upon placement of a manufactured home, certification of the elevation of the lowest floor shall be submitted to the Floodplain Administrator.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.3. - Variances and Appeals.

- A. *General.* The Planning Commission shall hear and decide on requests for appeals and requests for variances from the strict application of this ordinance. Pursuant to Fla. Stat. § 553.73(5), the Planning Commission shall hear and decide on requests for appeals and requests for variances from the strict application of the flood resistant construction requirements of the Florida Building Code. This section does not apply to Section 3109 of the Florida Building Code, Building.
- B. *Appeals.* The Planning Commission shall hear and decide appeals when it is alleged there is an error in any requirement, decision, or determination made by the Floodplain Administrator in the administration and enforcement of this ordinance. Any person aggrieved by the decision may appeal such decision to the Circuit Court, as provided by Florida Statutes.

- C. *Limitations on authority to grant variances.* The Planning Commission shall base its decisions on variances on technical justifications submitted by applicants, the considerations for issuance in Section ~~107.102.3.F~~ ~~107.105.F~~ of this ordinance, the conditions of issuance set forth in Section ~~107.102.3.G~~ ~~107.105.G~~ of this ordinance, and the comments and recommendations of the Floodplain Administrator and the Building Official. The Planning Commission has the right to attach such conditions as it deems necessary to further the purposes and objectives of this ordinance.
- D. *Historic buildings.* A variance is authorized to be issued for the repair, improvement, or rehabilitation of a historic building that is determined eligible for the exception to the flood resistant construction requirements of the Florida Building Code, Existing Building, Chapter 12 Historic Buildings, upon a determination that the proposed repair, improvement, or rehabilitation will not preclude the building's continued designation as a historic building and the variance is the minimum necessary to preserve the historic character and design of the building. If the proposed work precludes the building's continued designation as a historic building, a variance shall not be granted and the building and any repair, improvement, and rehabilitation shall be subject to the requirements of the Florida Building Code.
- E. *Functionally dependent uses.* A variance is authorized to be issued for the construction or substantial improvement necessary for the conduct of a functionally dependent use, as defined in this ordinance, ~~provided the variance meets the requirements of Section 107.4,~~ is the minimum necessary considering the flood hazard, and all due consideration has been given to use of methods and materials that minimize flood damage during occurrence of the base flood.
- F. *Considerations for issuance of variances.* In reviewing requests for variances, the Planning Commission shall consider all technical evaluations, all relevant factors, all other applicable provisions of the Florida Building Code, this ordinance, and the following:
- (1) The danger that materials and debris may be swept onto other lands resulting in further injury or damage;
 - (2) The danger to life and property due to flooding or erosion damage;
 - (3) The susceptibility of the proposed development, including contents, to flood damage and the effect of such damage on current and future owners;
 - (4) The importance of the services provided by the proposed development to the community;
 - (5) The availability of alternate locations for the proposed development that are subject to lower risk of flooding or erosion;
 - (6) The compatibility of the proposed development with existing and anticipated development;
 - (7) The relationship of the proposed development to the comprehensive plan and floodplain management program for the area;
 - (8) The safety of access to the property in times of flooding for ordinary and emergency vehicles;
 - (9) The expected heights, velocity, duration, rate of rise and debris and sediment transport of the floodwaters and the effects of wave action, if applicable, expected at the site; and

- (10) The costs of providing governmental services during and after flood conditions including maintenance and repair of public utilities and facilities such as sewer, gas, electrical and water systems, streets and bridges.

G. *Conditions for issuance of variances.* Variances shall be issued only upon:

- (1) Submission by the applicant, of a showing of good and sufficient cause that the unique characteristics of the size, configuration, or topography of the site limit compliance with any provision of this ordinance or the required elevation standards;
- (2) Determination by the Planning Commission that:
 - (a) Failure to grant the variance would result in exceptional hardship due to the physical characteristics of the land that render the lot undevelopable; increased costs to satisfy the requirements or inconvenience do not constitute hardship;
 - (b) The granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, nor create nuisances, cause fraud on or victimization of the public or conflict with existing local laws and ordinances; and
 - (c) The variance is the minimum necessary, considering the flood hazard, to afford relief;
- (3) Receipt of a signed statement by the applicant that the variance, if granted, shall be recorded in the Office of the Clerk of the Court in such a manner that it appears in the chain of title of the affected parcel of land; and
- (4) If the request is for a variance to allow construction of the lowest floor of a new building, or substantial improvement of a building, below the required elevation, a copy in the record of a written notice from the Floodplain Administrator to the applicant for the variance, specifying the difference between the base flood elevation and the proposed elevation of the lowest floor, stating that the cost of federal flood insurance will be commensurate with the increased risk resulting from the reduced floor elevation (up to amounts as high as \$25.00 for \$100.00 of insurance coverage), and stating that construction below the base flood elevation increases risks to life and property.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.4. - Violations.

- A. *Violations.* Any development that is not within the scope of the Florida Building Code but that is regulated by this ordinance that is performed without an issued permit, that is in conflict with an issued permit, or that does not fully comply with this ordinance or the conditions established by grants of variance, shall be deemed a violation of this ordinance and punishable as a non-criminal violation. A building or structure without the documentation of elevation of the lowest floor, other required design certifications, or other evidence of compliance required by this ordinance or the Florida Building Code is presumed to be a violation until such time as that documentation is provided.
- B. *Authority.* For development that is not within the scope of the Florida Building Code but that is regulated by this ordinance and that is determined to be a violation, the Floodplain Administrator is authorized to serve notices of violation or stop work orders to owners of the

property involved, to the owner's agent, or to the person or persons performing the work. Nothing herein contained shall prevent the Floodplain Administrator from taking such other lawful actions as are necessary to prevent or remedy any violation.

- C. *Unlawful continuance; fine.* Any person who shall continue any work after having been served with a notice of violation or a stop work order, except such work as that person is directed to perform to remove or remedy a violation or unsafe condition, shall be fined not more than \$500.00, and in addition, shall pay all costs and expenses involved in the case. Each day such violation continues shall be considered a separate offense.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.5. - Buildings and Structures.

Design and construction of buildings, structures and facilities exempt from the Florida Building Code. Pursuant to Section 107.101.C of this ordinance, buildings, structures, and facilities that are exempt from the Florida Building Code, including substantial improvement or repair of substantial damage of such buildings, structures and facilities, shall be designed and constructed in accordance with the flood load and flood resistant construction requirements of ASCE 24. Structures exempt from the Florida Building Code that are not walled and roofed buildings shall comply with the requirements of Section 107.102.11 ~~107.113~~ of this ordinance.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.6. - Subdivisions.

- A. *Minimum requirements.* Subdivision proposals, including proposals for manufactured home parks and subdivisions, shall be reviewed to determine that:

- (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding;
- (2) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage; and
- (3) Adequate drainage is provided to reduce exposure to flood hazards; in Zones AH and AO, adequate drainage paths shall be provided to guide floodwaters around and away from proposed structures.

- B. *Subdivision plats.* Where any portion of proposed subdivisions, including manufactured home parks and subdivisions, lies within a flood hazard area, the following shall be required:

- (1) Delineation of flood hazard areas and flood zones, and design flood elevations, as appropriate, shall be shown on preliminary plats; and
- (2) Compliance with the site improvement and utilities requirements of Section 107.102.7 ~~107.43~~ of this chapter.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.7. - Site Improvements, Utilities and Limitations.

- A. *Minimum requirements.* All proposed new development shall be reviewed to determine that:

- (1) Such proposals are consistent with the need to minimize flood damage and will be reasonably safe from flooding;
 - (2) All public utilities and facilities such as sewer, gas, electric, communications, and water systems are located and constructed to minimize or eliminate flood damage; and
 - (3) Adequate drainage is provided to reduce exposure to flood hazards; in Zones AH and AO, adequate drainage paths shall be provided to guide floodwaters around and away from proposed structures.
- B. *Sanitary sewage facilities.* All new and replacement sanitary sewage facilities, private sewage treatment plants (including all pumping stations and collector systems), and on-site waste disposal systems shall be designed in accordance with the standards for onsite sewage treatment and disposal systems in Chapter 64E-6, F.A.C. and ASCE 24 Chapter 7 to minimize or eliminate infiltration of floodwaters into the facilities and discharge from the facilities into flood waters, and impairment of the facilities and systems.
- C. *Water supply facilities.* All new and replacement water supply facilities shall be designed in accordance with the water well construction standards in Chapter 62-532.500, F.A.C. and ASCE 24 Chapter 7 to minimize or eliminate infiltration of floodwaters into the systems.
- D. *Limitations on placement of fill.* Subject to the limitations of this ordinance, fill shall be designed to be stable under conditions of flooding including rapid rise and rapid drawdown of floodwaters, prolonged inundation, and protection against flood-related erosion and scour. In addition to these requirements, if intended to support buildings and structures (Zone A only), fill shall comply with the requirements of the Florida Building Code.
- E. *Limitations on sites in coastal high hazard areas (Zone V).* In coastal high hazard areas, alteration of sand dunes and mangrove stands shall be permitted only if such alteration is approved by the Florida Department of Environmental Protection and only if the engineering analysis required by Section ~~107.102.1.B~~ ~~107.35.B~~ of this chapter demonstrates that the proposed alteration will not increase the potential for flood damage. Construction or restoration of dunes under or around elevated buildings and structures shall comply with Section ~~107.102.11.F(3)~~ ~~107.47.F(3)~~ of this chapter.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.8. - Manufactured Homes.

- A. *General; limitation.* All manufactured homes installed in flood hazard areas shall be installed by an installer that is licensed pursuant to Fla. Stat. § 320.8249, and shall comply with the requirements of Chapter 15C-1, F.A.C. and the requirements of this ordinance. Unless located in a manufactured home park or subdivision, new installations of manufactured homes are not permitted. New installations are not permitted in coastal high hazard areas (Zone V) under any circumstance.
- B. *Foundations.* All new manufactured homes and replacement manufactured homes installed in flood hazard areas shall be installed on permanent, reinforced foundations that:
- (1) In flood hazard areas (Zone A) other than coastal high hazard areas, are designed in accordance with the foundation requirements of the Florida Building Code, Residential Section R322.2 and this ordinance. ~~Foundations for manufactured homes subject to~~

~~Section 107.44.F of this chapter are permitted to be reinforced piers or other foundation elements of at least equivalent strength.~~

- (2) In coastal high hazard areas (Zone V), are designed in accordance with the foundation requirements of the Florida Building Code, Residential Section R322.3 and this ordinance.
- C. *Anchoring.* All new manufactured homes and replacement manufactured homes shall be installed using methods and practices which minimize flood damage and shall be securely anchored to an adequately anchored foundation system to resist flotation, collapse or lateral movement. Methods of anchoring include, but are not limited to, use of over-the-top or frame ties to ground anchors. This anchoring requirement is in addition to applicable state and local anchoring requirements for wind resistance.
- D. *Elevation.* All manufactured homes that are placed, replaced, or substantially improved in flood hazard areas shall be elevated such that the bottom of the frame is at or above the elevation required, as applicable to the flood hazard area, in the *Florida Building Code, Residential Section R322.2 (Zone A) or R322.3 (Zone V and Coastal A Zone).* Manufactured homes that are placed, replaced, or substantially improved shall comply with Section 107.44.E or 107.44.F of this chapter, as applicable.
- ~~E. *General elevation requirement.* Unless subject to the requirements of Section 107.44.F of this chapter, all manufactured homes that are placed, replaced, or substantially improved on sites located: (a) outside of a manufactured home park or subdivision; (b) in a new manufactured home park or subdivision; (c) in an expansion to an existing manufactured home park or subdivision; or (d) in an existing manufactured home park or subdivision upon which a manufactured home has incurred "substantial damage" as the result of a flood, shall be elevated such that the bottom of the frame is at or above the elevation required, as applicable to the flood hazard area, in the Florida Building Code, Residential Section R322.2 (Zone A) or Section R322.3 (Zone V).~~
- ~~F. *Elevation requirement for certain existing manufactured home parks and subdivisions.* Manufactured homes that are not subject to Section 107.110.E of this ordinance, including manufactured homes that are placed, replaced, or substantially improved on sites located in an existing manufactured home park or subdivision, unless on a site where substantial damage as result of flooding has occurred, shall be elevated such that either the:~~
- ~~(1) Bottom of the frame of the manufactured home is at or above the elevation required, as applicable to the flood hazard area, in the Florida Building Code, Residential Section R322.2 (Zone A) or Section R322.3 (Zone V); or~~
 - ~~(2) Bottom of the frame is supported by reinforced piers or other foundation elements of at least equivalent strength that are not less than 36 inches in height above grade.~~
- ~~E. G. *Enclosures.* Enclosed areas below elevated manufactured homes shall comply with the requirements of the Florida Building Code, Residential Section R322.2 or R322.3 for such enclosed areas, as applicable to the flood hazard area.~~
- ~~F. H. *Utility equipment.* Utility equipment that serves manufactured homes, including electric, heating, ventilation, plumbing, and air conditioning equipment and other service facilities, shall comply with the requirements of the Florida Building Code, Residential Section R322, as applicable to the flood hazard area.~~

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.9. - Recreational Vehicles and Park Trailers.

- A. *Temporary placement.* Recreational vehicles and park trailers placed temporarily in flood hazard areas shall:
- (1) Be on the site for fewer than 180 consecutive days; and
 - (2) Be fully licensed and ready for highway use, which means the recreational vehicle or park model is on wheels or jacking system, is attached to the site only by quick-disconnect type utilities and security devices, and has no permanent attachments such as additions, rooms, stairs, decks and porches.
- B. *Permanent placement.* Recreational vehicles and park trailers that do not meet the limitations in Section 107.102.9.A ~~107.111.A~~ of this ordinance for temporary placement shall meet the requirements of Section 107.102.8 ~~107.110~~ of this ordinance for manufactured homes.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.10. - Tanks.

- A. *Underground tanks.* Underground tanks in flood hazard areas shall be anchored to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the design flood, including the effects of buoyancy assuming the tank is empty.
- B. *Above-ground tanks, not elevated.* Above-ground tanks that do not meet the elevation requirements of Section 107.102.10.C ~~107.46.C~~ of this chapter shall:
- (1) Be permitted in flood hazard areas (Zone A) other than coastal high hazard areas, provided the tanks are anchored or otherwise designed and constructed to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads during conditions of the design flood, including the effects of buoyancy assuming the tank is empty and the effects of flood-borne debris.
 - (2) Not be permitted in coastal high hazard areas (Zone V).
- C. *Above-ground tanks, elevated.* Above-ground tanks in flood hazard areas shall be elevated to or above the design flood elevation and attached to a supporting structure that is designed to prevent flotation, collapse or lateral movement during conditions of the design flood. Tank-supporting structures shall meet the foundation requirements of the applicable flood hazard area.
- D. *Tank inlets and vents.* Tank inlets, fill openings, outlets and vents shall be:
- (1) At or above the design flood elevation or fitted with covers designed to prevent the inflow of floodwater or outflow of the contents of the tanks during conditions of the design flood; and
 - (2) Anchored to prevent lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy, during conditions of the design flood.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 107.102.11. - Other Development.

- A. *General requirements for other development.* All development, including man-made changes to improved or unimproved real estate for which specific provisions are not specified in this ordinance or the Florida Building Code, shall:
- (1) Be located and constructed to minimize flood damage;
 - (2) Be anchored to prevent flotation, collapse or lateral movement resulting from hydrostatic loads, including the effects of buoyancy, during conditions of the design flood;
 - (3) Be constructed of flood damage-resistant materials; and
 - (4) Have mechanical, plumbing, and electrical systems above the design flood elevation or meet the requirements of ASCE 24, except that minimum electric service required to address life safety and electric code requirements is permitted below the design flood elevation provided it conforms to the provisions of the electrical part of building code for wet locations.
- B. *Detached accessory structures in coastal high hazard areas (Zone V).* In coastal high hazard areas, detached garages are not permitted. Detached accessory structures used only for storage that are 100 square feet or less in area are permitted below the base flood elevation provided the structures comply with Section 107.102.11.A ~~107.47.A~~ of this chapter.
- C. *Concrete slabs used as parking pads, enclosure floors, landings, decks, walkways, patios and similar nonstructural uses in coastal high hazard areas (Zone V).* In coastal high hazard areas, concrete slabs used as parking pads, enclosure floors, landings, decks, walkways, patios and similar nonstructural uses are permitted beneath or adjacent to buildings and structures provided the concrete slabs are designed and constructed to be:
- (1) Structurally independent of the foundation system of the building or structure;
 - (2) Frangible and not reinforced, so as to minimize debris during flooding that is capable of causing significant damage to any structure; and
 - (3) Have a maximum slab thickness of not more than four (4) inches.
- D. *Decks and patios in coastal high hazard areas (Zone V).* In addition to the requirements of the Florida Building Code, in coastal high hazard areas decks and patios shall be located, designed, and constructed in compliance with the following:
- (1) A deck that is structurally attached to a building or structure shall have the bottom of the lowest horizontal structural member at or above the design flood elevation and any supporting members that extend below the design flood elevation shall comply with the foundation requirements that apply to the building or structure, which shall be designed to accommodate any increased loads resulting from the attached deck.
 - (2) A deck or patio that is located below the design flood elevation shall be structurally independent from buildings or structures and their foundation systems, and shall be designed and constructed either to remain intact and in place during design flood

conditions or to break apart into small pieces to minimize debris during flooding that is capable of causing structural damage to the building or structure or to adjacent buildings and structures.

(3) A deck or patio that has a vertical thickness of more than 12 inches or that is constructed with more than the minimum amount of fill necessary for site drainage shall not be approved unless an analysis prepared by a qualified registered design professional demonstrates no harmful diversion of floodwaters or wave runup and wave reflection that would increase damage to the building or structure or to adjacent buildings and structures.

(4) A deck or patio that has a vertical thickness of 12 inches or less and that is at natural grade or on nonstructural fill material that is similar to and compatible with local soils and is the minimum amount necessary for site drainage may be approved without requiring analysis of the impact on diversion of floodwaters or wave runup and wave reflection.

E. *Other development in coastal high hazard areas (Zone V).* In coastal high hazard areas, development activities other than buildings and structures shall be permitted only if also authorized by the appropriate federal, state or local authority; if located outside the footprint of, and not structurally attached to, buildings and structures; and if analyses prepared by qualified registered design professionals demonstrate no harmful diversion of floodwaters or wave runup and wave reflection that would increase damage to adjacent buildings and structures. Such other development activities include but are not limited to:

(1) Bulkheads, seawalls, retaining walls, revetments, and similar erosion control structures;

(2) Solid fences and privacy walls, and fences prone to trapping debris, unless designed and constructed to fail under flood conditions less than the design flood or otherwise function to avoid obstruction of floodwaters; and

(3) On-site sewage treatment and disposal systems defined in 64E-6.002, F.A.C., as filled systems or mound systems.

F. *Nonstructural fill in coastal high hazard areas (Zone V).* In coastal high hazard areas:

(1) Minor grading and the placement of minor quantities of nonstructural fill shall be permitted for landscaping and for drainage purposes under and around buildings.

(2) Nonstructural fill with finished slopes that are steeper than one (1) unit vertical to five (5) units horizontal shall be permitted only if an analysis prepared by a qualified registered design professional demonstrates no harmful diversion of floodwaters or wave runup and wave reflection that would increase damage to adjacent buildings and structures.

(3) Where authorized by the Florida Department of Environmental Protection or applicable local approval, sand dune construction and restoration of sand dunes under or around elevated buildings are permitted without additional engineering analysis or certification of the diversion of floodwater or wave runup and wave reflection if the

scale and location of the dune work is consistent with local beach-dune morphology and the vertical clearance is maintained between the top of the sand dune and the lowest horizontal structural member of the building.

(Ord. No. 2018-05, § 2, 8-14-2018)

Section 3. The Land Development Code, Chapter 110 Definitions, is hereby amended by the following amendments:

Chapter 110 - DEFINITIONS

ARTICLE 1. - GENERAL Section 110.00. - Construction of Words and Phrases.

ARTICLE 3. - DEFINED TERMS

*** **

~~*Existing Manufactured Home Park (Floodplain):* A manufactured home park for which the construction of facilities for servicing the lots on which the mobile homes are to be affixed (including at a minimum the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed before October 16, 2000.~~

*** **

~~*Expansion to an Existing Manufactured Home Park (Floodplain):* The preparation of additional sites by the construction of facilities for servicing the lots on which the mobile homes are to be affixed (including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads).~~

*** **

~~*Functionally Water-Dependent Facility:* A facility, which cannot be used for its intended purpose unless it is located or carried out in close proximity to water, such as a docking, or port facility necessary for the loading and unloading of cargo or passengers, shipbuilding, or ship repair. The term does not include long-term storage, manufacture, sales, or service facilities.~~

*** **

~~*New manufactured home park or subdivision:* A manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after.~~

*** **

Section 4. The Provisions of the Marathon Code and all Ordinances or parts of Ordinances in conflict with the provisions of this Ordinance are hereby repealed.

Section 5. The provisions of this Ordinance are declared to be severable and if any section, sentence, clause or phrase of this Ordinance shall be held to be invalid or unconstitutional,

such decision shall not affect the validity of the remaining sections, sentences, clauses, and phrases of this Ordinance but they shall remain in effect, it being the legislative intent that this Ordinance shall stand notwithstanding the invalidity of any part.

Section 6. It is the intention of the City Council and it is hereby ordained the provisions of this Ordinance shall become and be made part of the Marathon Code, that sections of this Ordinance may be renumbered or re-lettered to accomplish such intentions, and that the word "Ordinance" shall be changed to "Section" or other appropriate word.

Section 7. This Ordinance shall become effective immediately upon adoption on second reading.

ENACTED BY THE CITY COUNCIL OF THE CITY OF MARATHON, FLORIDA, THIS 9TH DAY OF MARCH 2021.

THE CITY OF MARATHON, FLORIDA



Luis Gonzalez, Mayor

AYES: Zieg, Cook, Bartus, Senmartin, Gonzalez

NOES: None

ABSENT: None

ABSTAIN: None

ATTEST:



Diane Clavier, City Clerk

(CITY SEAL)

APPROVED AS TO FORM AND LEGAL SUFFICIENCY FOR THE USE AND RELIANCE OF THE CITY OF MARATHON, FLORIDA ONLY:



City Attorney, Steven T. Williams



STATE OF FLORIDA

DIVISION OF EMERGENCY MANAGEMENT

Ron DeSantis
Governor

Jared Moskowitz
Director

April 15, 2021

Mr. George Garrett, City Manager
City of Marathon
9805 Overseas Highway
Marathon, FL 33050-3339

Dear Mr. Garrett:

The State Floodplain Management Office has received a copy of the recently adopted amendments to the City's floodplain management regulations. This letter acknowledges receipt and approval of Ordinance No. 2021-06. We appreciate the City's careful attention to maintaining consistency with the requirements of the National Flood Insurance Program and adoption of provisions that will reduce future vulnerability to flooding.

Please note that any subsequent changes to these regulations, including any future amendments to adopt requirements or code amendments that exceed NFIP minimums, are subject to review by this office prior to adoption. As the NFIP State Coordinating Agency, one of our responsibilities is to work with communities to ensure they remain compliant with the NFIP requirements for participation in the NFIP.

We appreciate the City's effort to move this important ordinance through the adoption process. Please do not hesitate to contact us at floods@em.myflorida.com and (850) 815-4556.

Sincerely,

Digitally signed by Conn Cole
DN: dc=org, dc=fleoc, ou=DEM_Users,
ou=Mitigation,
ou=HazardMitigationAssistance, cn=Conn
Cole, email=Conn.Cole@em.myflorida.com
Date: 2021.04.16 10:01:34 -0400

Conn H. Cole, MBA/PA, CFM
State Floodplain Manager
State Floodplain Management Office

CC/rq

Cc: Brian Shea, Planning Director
Eddy Bouza, SFMO Floodplain Management/Ordinance Specialist